DRAFT Medical Coverage Policy | Arthrotomy for Temporomandibular Joint (TMJ) Disorder



EFFECTIVE DATE: 12 | 01 | 2022

POLICY LAST UPDATED: 08 | 15 | 2022

OVERVIEW

Temporomandibular joint disorder (TMJD) refers to a group of disorders characterized by pain in the temporomandibular joint and surrounding tissues. Initial conservative therapy is generally recommended; there are also a variety of nonsurgical and surgical treatment possibilities for patients whose symptoms persist.

This policy is specific to arthrotomy of temporomandibular joint (TMI).

MEDICAL CRITERIA

Medicare Advantage Plans and Commercial Products

Arthrotomy of the temporomandibular joint may be considered medically necessary when TMJD results from any of the following:

- Congenital anomalies, or
- Trauma, or
- Disease in patients who have failed conservative treatment.

PRIOR AUTHORIZATION

Prior authorization is required for Medicare Advantage Plans and recommended for Commercial Products for arthrotomy of the temporomandibular joint.

POLICY STATEMENT

Medicare Advantage Plans and Commercial Products

Arthrotomy of the temporomandibular joint may be considered medically necessary when the medical criteria above has been met.

BACKGROUND

Diagnosis of Temporomandibular Joint Disorder

In the clinical setting, temporomandibular joint disorder (TMJD) is often a diagnosis of exclusion and involves physical examination, patient interview, and a review of dental records. Diagnostic testing and radiologic imaging are generally only recommended for patients with severe and chronic symptoms.

Symptoms attributed to TMJD vary and include, but are not limited to, clicking sounds in the jaw; headaches; closing or locking of the jaw due to muscle spasms (trismus) or displaced disc; pain in the ears, neck, arms, and spine; tinnitus; and bruxism (clenching or grinding of the teeth).

Treatment

For many patients, symptoms of TMJD are short-term and self-limiting. Conservative treatments (eg, eating soft foods, rest, heat, ice, avoiding extreme jaw movements) and anti-inflammatory medication are recommended before considering more invasive and/or permanent therapies (eg, surgery).

The purpose of surgical techniques in patients with a confirmed diagnosis of TMJD is to provide a treatment option that is an alternative to or an improvement on existing therapies, such as nonsurgical intervention.

If joint pain does not resolve with conservative treatments and it appears to be caused by a structural problem in the joint, open-joint surgery called arthotomy may be suggested to repair the joint. Arthrotomy is an open joint procedure (an incision is made a few inches long over the joint so your doctor can operate on the joint itself) done under general anesthesia. The surgery may last between one to two hours. The recovery is significantly longer (3-8 weeks) and more painful than the TMJ Arthrocentesis or TMJ Arthroscopy.

An incision is made along the ear (similar to what is done for a face lift) and the joint space is opened so that the surgeon can see it. This allows for the removal of adhesions, osteophytes (bone spurs), fibrous or bony ankylosis (fusion) and/or tumors, etc.

COVERAGE

Medicare Advantage Plans and Commercial Products

Benefits may vary between groups/contracts. Please refer to the Evidence of Coverage or Subscriber Agreement for applicable not medically necessary/not covered benefits/coverage

CODING

Medicare Advantage Plans and Commercial Products

The following CPT code is considered medically necessary when the criteria above has been met: **21010** Arthrotomy, temporomandibular joint

RELATED POLICIES

Prior Authorization via Web-Based Tool for Procedures

PUBLISHED

Provider Update, October 2022

REFERENCES

- Schiffman E, Ohrbach R, Truelove E, et al. Diagnostic Criteria for Temporomandibular Disorders (DC/TMD) for Clinical and Research Applications: recommendations of the International RDC/TMD Consortium Network* and Orofacial Pain Special Interest Group. J Oral Facial Pain Headache. 2014; 28(1): 6-27. PMID 24482784
- Ohrbach R, Turner JA, Sherman JJ, et al. The Research Diagnostic Criteria for Temporomandibular Disorders. IV: evaluation of psychometric properties of the Axis II measures. J Orofac Pain. 2010; 24(1): 48-62. PMID 20213031
- 3. Schiffman E, Ohrbach R. Executive summary of the Diagnostic Criteria for Temporomandibular Disorders for clinical and research applications. J Am Dent Assoc. Jun 2016; 147(6): 438-45. PMID 26922248
- 4. Almeida FT, Pacheco-Pereira C, Flores-Mir C, et al. Diagnostic ultrasound assessment of temporomandibular joints: a systematic review and meta-analysis. Dentomaxillofac Radiol. Feb 2019; 48(2): 20180144. PMID 30285469
- 5. Manfredini D, Guarda-Nardini L. Ultrasonography of the temporomandibular joint: a literature review. Int J Oral Maxillofac Surg. Dec 2009; 38(12): 1229-36. PMID 19700262
- 6. Klasser GD, Okeson JP. The clinical usefulness of surface electromyography in the diagnosis and treatment of temporomandibular disorders. J Am Dent Assoc. Jun 2006; 137(6): 763-71. PMID 16803805
- 7. Sharma S, Crow HC, McCall WD, et al. Systematic review of reliability and diagnostic validity of joint vibration analysis for diagnosis of temporomandibular disorders. J Orofac Pain. 2013; 27(1): 51-60. PMID 23424720
- 8. List T, Axelsson S. Management of TMD: evidence from systematic reviews and meta-analyses. J Oral Rehabil. May 2010; 37(6): 430-51. PMID 20438615

- 9. Randhawa K, Bohay R, Cote P, et al. The Effectiveness of Noninvasive Interventions for Temporomandibular Disorders: A Systematic Review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Clin J Pain. Mar 2016; 32(3): 260-78. PMID 25924094
- 10. Fricton J, Look JO, Wright E, et al. Systematic review and meta-analysis of randomized controlled trials evaluating intraoral orthopedic appliances for temporomandibular disorders. J Orofac Pain. 2010; 24(3): 237-54. PMID 20664825
- 11. Ivorra-Carbonell L, Montiel-Company JM, Almerich-Silla JM, et al. Impact of functional mandibular advancement appliances on the temporomandibular joint a systematic review. Med Oral Patol Oral Cir Bucal. Sep 01 2016; 21(5): e565-72. PMID 27475694
- 12. Ebrahim S, Montoya L, Busse JW, et al. The effectiveness of splint therapy in patients with temporomandibular disorders: a systematic review and meta-analysis. J Am Dent Assoc. Aug 2012; 143(8): 847-57. PMID 22855899
- 13. Zhang C, Wu JY, Deng DL, et al. Efficacy of splint therapy for the management of temporomandibular disorders: a meta-analysis. Oncotarget. Dec 20 2016; 7(51): 84043-84053. PMID 27823980
- 14. Riley P, Glenny AM, Worthington HV, et al. Oral splints for temporomandibular disorder or bruxism: a systematic review. Br Dent J. Feb 2020; 228(3): 191-197. PMID 32060462
- 15. Al-Moraissi EA, Farea R, Qasem KA, et al. Effectiveness of occlusal splint therapy in the management of temporomandibular disorders: network meta-analysis of randomized controlled trials. Int J Oral Maxillofac Surg. Aug 2020; 49(8): 1042-1056. PMID 31982236
- Zhang L, Xu L, Wu D, et al. Effectiveness of exercise therapy versus occlusal splint therapy for the treatment of painful temporomandibular disorders: a systematic review and meta-analysis. Ann Palliat Med. Jun 2021; 10(6): 6122-6132. PMID 33977737
- 17. Alajbeg IZ, Vrbanovic E, Lapic I, et al. Effect of occlusal splint on oxidative stress markers and psychological aspects of chronic temporomandibular pain: a randomized controlled trial. Sci Rep. Jul 03 2020; 10(1): 10981. PMID 32620810
- 18. Melo RA, de Resende CMBM, Rego CRF, et al. Conservative therapies to treat pain and anxiety associated with temporomandibular disorders: a randomized clinical trial. Int Dent J. Aug 2020; 70(4): 245-253. PMID 32153038
- 19. Ram HK, Shah DN. Comparative evaluation of occlusal splint therapy and muscle energy technique in the management of temporomandibular disorders: A randomized controlled clinical trial. J Indian Prosthodont Soc. Oct-Dec 2021; 21(4): 356-365. PMID 34810363
- 20. Tonlorenzi D, Brunelli M, Conti M, et al. An observational study of the effects of using an high oral splint on pain control. Arch Ital Biol. Sep 30 2019; 157(2-3): 66-75. PMID 31821530
- 21. Isacsson G, Schumann M, Nohlert E, et al. Pain relief following a single-dose intra-articular injection of methylprednisolone in the temporomandibular joint arthralgia-A multicentre randomised controlled trial. J Oral Rehabil. Jan 2019; 46(1): 5-13. PMID 30240024
- 22. Tchivileva IE, Hadgraft H, Lim PF, et al. Efficacy and safety of propranolol for treatment of temporomandibular disorder pain: a randomized, placebo-controlled clinical trial. Pain. Aug 2020; 161(8): 1755-1767. PMID 32701836
- 23. Haggman-Henrikson B, Alstergren P, Davidson T, et al. Pharmacological treatment of oro-facial pain health technology assessment including a systematic review with network meta-analysis. J Oral Rehabil. Oct 2017; 44(10): 800-826. PMID 28884860
- 24. Mena M, Dalbah L, Levi L, et al. Efficacy of topical interventions for temporomandibular disorders compared to placebo or control therapy: a systematic review with meta-analysis. J Dent Anesth Pain Med. Dec 2020; 20(6): 337-356. PMID 33409363
- 25. Machado D, Martimbianco ALC, Bussadori SK, et al. Botulinum Toxin Type A for Painful Temporomandibular Disorders: Systematic Review and Meta-Analysis. J Pain. Mar 2020; 21(3-4): 281-293. PMID 31513934
- 26. Jung A, Shin BC, Lee MS, et al. Acupuncture for treating temporomandibular joint disorders: a systematic review and meta-analysis of randomized, sham-controlled trials. J Dent. May 2011; 39(5): 341-50. PMID 21354460

- 27. Liu GF, Gao Z, Liu ZN, et al. Effects of Warm Needle Acupuncture on Temporomandibular Joint Disorders: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Evid Based Complement Alternat Med. 2021; 2021: 6868625. PMID 34873409
- 28. Manfredini D, Piccotti F, Guarda-Nardini L. Hyaluronic acid in the treatment of TMJ disorders: a systematic review of the literature. Cranio. Jul 2010; 28(3): 166-76. PMID 20806734
- 29. Machado E, Bonotto D, Cunali PA. Intra-articular injections with corticosteroids and sodium hyaluronate for treating temporomandibular joint disorders: a systematic review. Dental Press J Orthod. Sep-Oct 2013; 18(5): 128-33. PMID 24352399
- 30. Goiato MC, da Silva EV, de Medeiros RA, et al. Are intra-articular injections of hyaluronic acid effective for the treatment of temporomandibular disorders? A systematic review. Int J Oral Maxillofac Surg. Dec 2016; 45(12): 1531-1537. PMID 27374020
- 31. Liu Y, Wu J, Fei W, et al. Is There a Difference in Intra-Articular Injections of Corticosteroids, Hyaluronate, or Placebo for Temporomandibular Osteoarthritis?. J Oral Maxillofac Surg. Mar 2018; 76(3): 504-514. PMID 29182905
- 32. Al-Hamed FS, Hijazi A, Gao Q, et al. Platelet Concentrate Treatments for Temporomandibular Disorders: A Systematic Review and Meta-analysis. JDR Clin Trans Res. Apr 2021; 6(2): 174-183. PMID 32464073
- 33. Sousa BM, Lopez-Valverde N, Lopez-Valverde A, et al. Different Treatments in Patients with Temporomandibular Joint Disorders: A Comparative Randomized Study. Medicina (Kaunas). Mar 05 2020; 56(3). PMID 32151101
- 34. Gokce Kutuk S, Gokce G, Arslan M, et al. Clinical and Radiological Comparison of Effects of Platelet-Rich Plasma, Hyaluronic Acid, and Corticosteroid Injections on Temporomandibular Joint Osteoarthritis. J Craniofac Surg. Jun 2019; 30(4): 1144-1148. PMID 31166260
- 35. Gorrela H, Prameela J, Srinivas G, et al. Efficacy of Temporomandibular Joint Arthrocentesis with Sodium Hyaluronate in the Management of Temporomandibular Joint Disorders: A Prospective Randomized Control Trial. J Maxillofac Oral Surg. Dec 2017; 16(4): 479-484. PMID 29038631
- 36. Manfredini D, Rancitelli D, Ferronato G, et al. Arthrocentesis with or without additional drugs in temporomandibular joint inflammatory-degenerative disease: comparison of six treatment protocols*. J Oral Rehabil. Apr 2012; 39(4): 245-51. PMID 21999138
- 37. Bjornland T, Gjaerum AA, Moystad A. Osteoarthritis of the temporomandibular joint: an evaluation of the effects and complications of corticosteroid injection compared with injection with sodium hyaluronate. J Oral Rehabil. Aug 2007; 34(8): 583-9. PMID 17650168
- 38. Bertolami CN, Gay T, Clark GT, et al. Use of sodium hyaluronate in treating temporomandibular joint disorders: a randomized, double-blind, placebo-controlled clinical trial. J Oral Maxillofac Surg. Mar 1993; 51(3): 232-42. PMID 8445463
- 39. Sit RW, Reeves KD, Zhong CC, et al. Efficacy of hypertonic dextrose injection (prolotherapy) in temporomandibular joint dysfunction: a systematic review and meta-analysis. Sci Rep. Jul 19 2021; 11(1): 14638. PMID 34282199
- 40. Vos LM, Huddleston Slater JJ, Stegenga B. Lavage therapy versus nonsurgical therapy for the treatment of arthralgia of the temporomandibular joint: a systematic review of randomized controlled trials. J Orofac Pain. 2013; 27(2): 171-9. PMID 23630689
- 41. Al-Moraissi EA, Wolford LM, Ellis E, et al. The hierarchy of different treatments for arthrogenous temporomandibular disorders: A network meta-analysis of randomized clinical trials. J Craniomaxillofac Surg. Jan 2020; 48(1): 9-23. PMID 31870713
- 42. Castano-Joaqui OG, Cano-Sanchez J, Campo-Trapero J, et al. TMJ arthroscopy with hyaluronic acid: A 12-month randomized clinical trial. Oral Dis. Mar 2021; 27(2): 301-311. PMID 32609918
- 43. Hossameldin RH, McCain JP. Outcomes of office-based temporomandibular joint arthroscopy: a 5-year retrospective study. Int J Oral Maxillofac Surg. Jan 2018; 47(1): 90-97. PMID 28751180
- 44. American Association for Dental, Oral, and Craniofacial Research (AADOCR). Science Policy: Temporomandibular disorders (TMD). 1996 (revised 2010, reaffirmed 2015); https://www.iadr.org/science-policy/temporomandibulardisorders- tmd. Accessed December 22, 2021.

- 45. American Society of Temporomandibular Joint Surgeons. Guidelines for diagnosis and management of disorders involving the temporomandibular joint and related musculoskeletal structures. Cranio. Jan 2003; 21(1): 68-76. PMID 12555934
- 46. The TMJ Association, Ltd. TMJ Surgery. Surgery The TMJ Association
- 47. American Society of TMJ Surgeons. Surgical Management of TMJ Disorders.



CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.